EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	2005/0192955.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/08 20:36
L2	2	"20050192955".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/08 20:36
L3	2	"20030088639".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/08 21:02
L4	13	("6563441" | "6587057" | "6539369" | "6313766" | "5883589" | "20020145545").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/08 21:13
L5	2	"6889226".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/08 21:14
L6	2	"20040111672".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/08 21:37
L7	2	"7274671".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/08 21:44
S1	1	xml and DOM and tree and nodes and (stable with node) and (id or indentifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/06 16:54

S2	0	xml and DOM and tree and nodes and (stable with (id or indentifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/06 16:55
S3	220	xml and DOM and tree and nodes and (node with (id or indentifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/06 17:05
S4	5	xml and DOM and tree and nodes and (encod$3 with node with (id or indentifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/06 17:14
S5	0	xml and DOM and tree and nodes and (prefix with encod$3 with node with (id or indentifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/06 17:07
S6	1	xml and DOM and tree and nodes and (encod$3 with node with (id or indentifier)) (encod$3 same prefix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/06 17:08
S7	220	xml and DOM and tree and nodes and (node with (id or indentifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/06 17:14
S8	31	xml and DOM and tree and nodes and (node with (id or indentifier)) (encod $3 with (id or identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/06 17:15
S9	3	xml and DOM and tree and nodes and (node with (id or indentifier)) (encod $3 with (id or identifier)) and (encod$ with prefix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/06 17:23
S10	16	tree and nodes and (node with (id or indentifier)) (encod$3 with (id or identifier)) and (encod$ with prefix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/06 18:34
S11	2015	tree and nodes and (local with (id or identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/06 18:41

S12	470	tree and nodes and (local with (id or identifier)) and ((initial or base) with local)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/06 18:42
S13	14	tree and nodes and (local with (id or identifier)) and ((initial or base) with local) and (root with zero)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/06 18:43
S14	12	tree and nodes and (local with (id or identifier)) and ((initial or base) with length) and (root with zero)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/06 18:43
S15	400	(xml with database) and (nodes with identifiers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 10:18
S16	116	(xml with database) and (nodes with identifiers) and (assign$3 with identifiers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 10:22
S17	18	(xml with database) and (nodes with identifiers) and (assign$3 with identifiers) and siblings and insert$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 10:36
S18	0	(xml with database) and (nodes with identifiers) and (assign$3 with identifiers) and siblings and insert$3 and emcod$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 10:36
S19	10	(xml with database) and (nodes with identifiers) and (assign$3 with identifiers) and siblings and insert$3 and encod$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 10:36
S20	23	(xml with database) and (nodes with identifiers) and (encod$3 with identifiers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 10:39
S21	0	(xml with database) and (nodes with identifiers) and (encod$3 with identifiers) and ordpath	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 10:39

S22	13	(logical with tree with nodes) and (prefix same encod$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 10:40
S23	246	xml and (logical with tree with nodes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 10:40
S24	1	xml and (logical with tree with nodes) and (root with zero) and (encod$3 with identifiers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 10:41
S25	7	xml and (logical with tree with nodes) and (encod$3 with identifiers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 10:46
S26	4	xml and (logical with tree with nodes) and (encod$3 with prefix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 10:46
S27	46	xml and tree and nodes and (encod$3 with prefix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 10:49
S28	1134	(local with identifiers) and tree and nodes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 10:50
S29	143	(local with identifiers) and tree and nodes and (identifiers with length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 10:50
S30	7	(local with identifiers) and tree and nodes and (identifiers with length) and (root with zero)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 10:57
S31	196	tree and nodes and (identifiers with node) and (encod$3 with identifiers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 10:58

S32	0	tree and nodes and (identifiers with node) and (encod$3 with identifiers) abd (root with zero)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 10:58
S33	20	tree and nodes and (identifiers with node) and (encod$3 with identifiers) and (root with zero)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 11:03
S34	35	xml with (node with identifiers) and (encod$3 with identifiers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 11:05
S35	22	("20020120679" | "20020145545" | "5151697" | "5883589" | "6263332" | "6889226" | "6313766" | "6539369" | "6563441" | "6587057" | "7274671").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/10 11:05
S36	2	"20050055334".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 13:32
S37	2	"20060101320".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 13:42
S38	646	(conver$4 with xml with (DOM or graph or tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 14:21
S39	11	(conver$4 with xml with (DOM or graph or tree)) and node and byte and hexadecimal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 14:21
S40	107	(conver$4 near2 xml near2 (DOM or graph or tree)) and node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 14:27
S41	68	(conver$4 near2 xml near2 (DOM or graph or tree)) and node and node and root	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 14:28

S42	2	(conver$4 near2 xml near2 (DOM or graph or tree)) and node and node and root and hexadecimal and identif$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 14:30
S43	318	xml and DOM and tree and nodes and (id or indentifier) and concatenat $4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 14:32
S44	5	xml and DOM and tree and nodes and (id or indentifier) and (concatenat$4 with encod $3) and sequenc$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 14:33
S45	677	xml and pars$3 and (DOM or tree or graph) and nodes and (id or indentifier) and (concatenat$4 and encod $3) and sequenc$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:02
S46	776	xml and pars$3 and (DOM or document or tree or graph) and nodes and (id or indentifier) and (concatenat$4 and encod $3) and sequenc$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:04
S47	79	xml and pars$3 and (DOM or document or tree or graph) and nodes and (id or indentifier) and (concatenat$4 and encod $3) and sequenc$4 and hexadecimal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:05
S48	94	xml and pars$3 and (DOM or document or tree or graph) and nodes and (id or indentifier) and (concatenat$4 and encod $3) and sequenc$4 and (hexadecimal or hex or ("base 16"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:05
S49	1198	xml and (xpath or xquery or DOM) and (node near2 (id or identif$7))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:09
S50	3	xml and (xpath or xquery or DOM) and (node near2 (id or identif$7)) and (convert near2 xml near2 (model or tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:10

S51	3	xml and (xpath or xquery or DOM or (doceument adj object adj model)) and (node near2 (id or identif $7)) and (convert near2 xml near2 (model or tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:11
S52	132	xml and (xpath or xquery or DOM or (doceument adj object adj model)) and (node near2 (id or identif $7)) and (convert near2 xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:11
S53	121	xml and (xpath or xquery or DOM or (doceument adj object adj model)) and (node near2 (id or identif $7)) and (convert near2 xml)and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:13
S54	121	xml and (xpath or xquery or DOM or (doceument adj object adj model)) and (node near2 (id or identif $7)) and (convert near2 xml)and tree and node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:13
S55	92	xml and (xpath or xquery or DOM or (doceument adj object adj model)) and (node near2 (id or identif $7)) and (convert near2 xml)and tree and node and root	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:13
S56	162	(conver$5 near2 xml near2 (DOM or tree or (document adj object adj model)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:19
S57	0	(conver$5 near2 xml near2 (DOM or tree or (document adj object adj model))) and (node near2 label)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:21
S58	42	(conver$5 near2 xml near2 (DOM or tree or (document adj object adj model))) and (node near2 (id or identif$8))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:22
S59	1387	conver$5 and (DOM or tree or (document adj object adj model)) and node and (id or identif$8) and binary and prefix and encod$3 and path and root	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:28

S60	420	conver$5 and xml and (DOM or tree or (document adj object adj model)) and node and (id or identif$8) and binary and prefix and encod$3 and path and root	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:28
S61	72	conver$5 and xml and (DOM or tree or (document adj object adj model)) and node and (id or identif$8) and binary and prefix and encod$3 and path and root and hexadecimal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:29
S62	12	conver$5 and xml and (DOM or tree or (document adj object adj model)) and node and (id or identif$8) and binary and prefix and encod$3 and path and root and hexadecimal and (encod$3 near2 node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:37
S63	1	("2006/0004858").URPN.	USPAT	AND	ON	2010/05/06 15:40
S64	10	("20010007559" | "20050237159" | "20050249220" | "20060004858" | "20060029080" | "6560230" | "7325071" | "7417999" | "7424474" | "7466703").PN. OR ("7706386").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2010/05/06 15:40
S65	25	ordpath and xml and node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:42
S66	681	path and xml and node and concatenat$4 and prefix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:50
S67	363	path and xml and node and concatenat$4 and prefix and label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:50

S68	103	path and xml and node and concatenat$4 and prefix and label and DOM and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 15:50
S70	0	(xml with document with object with model) and nodes and (node with hexadecimal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:00
S71	4	(xml with document with object with model) and nodes and (node same hexadecimal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:01
S72	9	(convert with xml with DOM with tree) and nodes and prefix$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:05
S73	16	(xml with DOM).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:08
S74	12	(tree with DOM).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:10
S75	26	(convert with xml with DOM with tree) and nodes and root	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:12
S76	0	("2009/0138503").URPN.	USPAT	AND	ON	2010/05/06 16:20
S77	478	XML and tree and (node with id) and (node same sequen$6) and (node same number$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:27
S78	13	XML and tree and (node with id) and (node same sequen$6) and (node same number$4) and (convert with xml with (tree or DOM or model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:28

S79	48	XML and tree and (node with id) and (sequen$6) and (node same number $4) and (convert with xml with (tree or DOM or model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:34
S80	359	xml and tree and xquery and node and ID and path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:41
S81	53	xml and tree and xquery and node and ID and path and (ID with sequen$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:42
S82	205	xml and tree and (xpath or DOM or xquery) and node and ID and path and (ID with sequen$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:44
S83	254	xml and tree and (xpath or DOM or xquery) and node and ID and (ID with sequen$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:46
S84	1	xml and tree and (xpath or DOM or xquery) and node and ID and (ID with sequen$6) and (conver$5 near2 (mark$up or xml) near2 (DOM or tree or graph))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:47
S85	13	("6563441" | "6587057" | "6539369" | "6313766" | "5883589" | "20020145545").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:52
S86	1	(binary near2 string) same encod$3 same node same identifiers same tree same XML (("document object model") or DOM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:57
S87	1	(binary) same encod$3 same node same identifiers same tree same XML (("document object model") or DOM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:57

S88	2	(binary) same node same identifiers same tree same XML (("document object model") or DOM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:58
S89	7	(binary same node same identifiers) and (tree same XML same (("document object model") or DOM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 16:58
S90	11	(binary same node same identifiers) and (XML same (("document object model") or DOM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 17:01
S91	245	(node with identifiers) and (XML same (("document object model") or DOM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 17:01
S92	49	(node with identifiers) and (conver$5 same XML same (("document object model") or DOM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/06 17:02
S93	38	(node with identifiers) and (conver$5 same XML same (("document object model") or DOM)) and (node with (numerical or number$3 or decimal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 09:11
S94	2	"20030088639".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 11:10
S95	9	xml and DOM and tree and nodes and (node with (ID or identifier)) and ((id or identifier) with byte) and ((storing or stor$2) with (ID or identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 11:19
S96	0	"20060101320".pn. and xml and byte	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 11:23
S97	0	"20050055334".pn. and xml and byte	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 11:24

S98	34	(xml same node same ID same byte)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 11:24
S99	23	(xml same node same ID same byte) and (sto$3 same ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 11:25
S100	6	(xml same node same ID same byte) and (stor$3 same ID) and (display$3 same ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 11:25
S101	0	(xml same node same ID same byte) and ((display $3 or print$3) with DOM) and (stor$4 with DOM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 11:26
S102	0	(xml same node same ID same byte) and ((display $3 or print$3) with tree) and (stor$4 with tree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 11:27
S103	20	(xml same node same ID same byte) and (sto$3 same ID) and (display$3 or print$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 11:27
S104	1	xml and DOM and tree and nodes and (encod$3 with length with statistics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 12:00
S105	5	xml and nodes and (encod $3 with length with statistics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 12:00
S106	2	xml and nodes and (encod $3 with nodes with statistics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 12:01
S107	0	xml and nodes and (encod $3 same nodes same statistics same max$5 same (descendants or children or leaves))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 12:02

S108	23	xml and nodes and (statistics same max$5 same (descendants or children or leaves))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 12:03
S109	7	xml and nodes and (statistics same max$5 same (descendants or children or leaves)) and encod$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 12:06
S110	2	xml and nodes and (statistics with max$5 with (descendants or children or leaves)) and encod$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 12:08
S111	1	xml and node and ((encod$3 near2 length) with statistics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 12:08
S112	0	("6563441" | "6587057" | "6539369" | "6313766" | "5883589" | "20020145545").pn. and encod$3 and length and statistics and nodes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 12:10
S113	3426	encod$3 and length and statistics and nodes and tree and (descendants or children or leaves)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 12:11
S114	771	encod$3 and length and statistics and nodes and tree and (descendants or children or leaves) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 12:11
S115	64	encod$3 and length and statistics and nodes and tree and (descendants or children or leaves) and xml and (encod$3 same statistics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 12:11
S116	3	encod$3 and length and statistics and nodes and tree and (descendants or children or leaves) and xml and (encod$3 same statistics same max)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 12:11

S117	64	encod$3 and length and statistics and nodes and tree and (descendants or children or leaves) and xml and (encod$3 same statistics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 12:12
S118	9	encod$3 and length and statistics and nodes and tree and (descendants or children or leaves) and xml and (encod$3 with statistics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/07 12:12

5/8/2010 10:07:51 PM
C:\ Documents and Settings\ jjohnson14\ My Documents\ EAST\ Workspaces\ 10709415_amend. wsp